



Dehumidifier

Hangzhou Duokai Technology Co.,Ltd



A Reliable Machineries & Equipment Solution Provider

Rahman Chamber (1st & 6th Floor),12-13, Motijheel C.A. Dhaka-1000
Bangladesh. +880-2-223354650, 223389664, 223390415, Fax: +880-2-223383269
Email: shameem@securabd.com, Web:sslbd.org

Commercial dehumidifier



Model	DH- 90L	DH- 138L	DH- 150L
Dehumidify capacity	90L /Day	138L/Day	150L/Day
Voltage	220V- 240V/50HZ	220V- 240V/50HZ	220V- 240V/50HZ
Input current	6.0A	7.8A	8.1A
Input power	1.35KW	1.45KW	1.7KW
Circulating air	1000m ³ /h	1100m ³ /h	1200m ³ /h
Applied area (height=2.6m)	90- 120 m ²	130- 150 m ²	150- 180 m ²
Control way	Auto/Manual	Auto/Manual	Auto/Manual
Drainage	Drainage hose	Drainage hose	Drainage hose
Noise	≤ 60dB(A)	≤ 60dB(A)	≤ 60dB(A)
Net weight	47 KG	52 KG	60KG
Machine size	476X410X900mm	480x410x1010mm	480x410x1010mm

Industrial dehumidifier



Features

Famous brand compressor.

3 minutes delay for protecting the compressor.

Color is optional.

Inside active carbon filter mesh.

Power failure protection.

Auto re-start if power failure

24-hours timer switch

Micro computer control.

Low noise .

Model	DH- 168L	DH- 168	DH- 210L	DH- 240L
Dehumidify capacity	168L/Day	168L/Day	210L/Day	240L/Day
Power	2820W	2820W	4120W	4900W
Voltage	220V/50HZ	380V/50HZ	380V/50HZ	380V/50HZ
Current	12A	4.3A	6.3A	7.5A
Working temp	5- 38 °C			
Air circulation	2200m ³ /h	2200m ³ /h	2600m ³ /h	2800m ³ /h
Drainage	External hose			
Machine size	410x600x1600mm	410X600X1600mm	470x780x1700m m	470x780x1700m m
Applied area	140- 160 m ²	140- 160 m ²	160- 200 m ²	200- 250 m ²
Net weight	108KG	108KG	115KG	115KG

Industrial dehumidifier



Model	DH- 360L	DH- 480L	DH- 720L	DH- 960L
Dehumidify capacity	360L/Day	480L/Day	720L/Day	960L/Day
Power	7.2KW	10KW	15KW	20KW
Voltage	380V/50HZ	380V/50HZ	380V/50HZ	380V/50HZ
Current	14A	20A	22.8A	33.5A
Working temp	5- 38 °C	5- 38 °C	5- 38 °C	5- 38 °C
Air circulation	3500m ³ /h	5000m ³ /h	7000m ³ /h	9000m ³ /h
Drainage	External hose	External hose	External hose	External hose
Machine size	1200x450x1750mm	1200X450X1750mm	1750x600x2000mm	1750x600x2000mm
Applied area	200- 300 m ²	300- 400 m ²	400- 600 m ²	600- 800 m ²
Net weight	260KG	300KG	350KG	400KG